

TRENDS IN MORTALITY FROM HODGKINS DISEASE (ICD9 201):  
INDIRECTLY STANDARDISED RATIOS (SMR ), 1989 TO 1999 ANNUALLY, ALL AGES  
(Standard rates are age-specific mortality rates in 1993)

		Males											Females										
		1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
ENGLAND AND WALES	SMR	104	101	107	118	100	76	83	82	69	72	66	120	109	99	107	100	78	84	83	82	81	68
	OBS	206	202	214	237	203	155	171	169	142	150	139	178	161	147	158	148	116	124	123	121	119	100
LONDON	SMR	116	96	89	146	84	96	115	65	60	90	81	140	95	90	70	111	46	72	57	52	83	52
	OBS	30	25	23	38	22	25	30	17	16	24	22	28	19	18	14	22	9	14	11	10	16	10
Barking and Havering	SMR	333	133	201	269	134	263	199	133	134	67	67	354	0	179	0	91	0	0	90	182	0	0
	OBS	5	2	3	4	2	4	3	2	2	1	1	4	0	2	0	1	0	0	1	2	0	0
Barking & Dagenham	SMR	349	175	0	179	180	342	173	176	178	0	178	222	0	224	0	0	0	0	227	0	0	0
	OBS	2	1	0	1	1	2	1	1	1	0	1	1	0	1	0	0	0	0	1	0	0	0
Havering	SMR	323	107	323	323	107	213	214	107	108	108	0	442	0	148	0	149	0	0	0	301	0	0
	OBS	3	1	3	3	1	2	2	1	1	1	0	3	0	1	0	1	0	0	0	2	0	0

---

	Persons										
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
ENGLAND AND WALES	111	105	104	113	100	77	84	83	74	76	67
	384	363	361	395	351	271	295	292	263	269	239
LONDON	126	96	89	113	96	74	96	61	57	87	69
	58	44	41	52	44	34	44	28	26	40	32
Barking and Havering	342	76	191	154	116	151	114	115	154	39	39
	9	2	5	4	3	4	3	3	4	1	1
Barking & Dagenham	293	98	99	100	101	192	97	198	100	0	101
	3	1	1	1	1	2	1	2	1	0	1
Havering	373	62	250	188	124	124	125	62	188	63	0
	6	1	4	3	2	2	2	1	3	1	0