

TRENDS IN MORTALITY FROM MALIGNANT MELANOMA (ICD9 172):
 INDIRECTLY STANDARDISED RATIOS (SMR), 1989 TO 1999 ANNUALLY, ALL AGES
 (Standard rates are age-specific mortality rates in 1993)

		Males										
		1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
ENGLAND AND WALES	SMR	76	87	89	85	100	96	102	97	97	102	107
	OBS	490	561	580	563	667	643	694	667	675	717	761
LONDON	SMR	93	85	73	76	83	101	117	98	71	104	106
	OBS	75	69	59	62	68	83	97	82	60	88	91
Barking and Havering	SMR	103	62	103	103	41	120	60	159	40	119	79
	OBS	5	3	5	5	2	6	3	8	2	6	4
Barking & Dagenham	SMR	54	0	54	163	55	209	105	106	53	106	53
	OBS	1	0	1	3	1	4	2	2	1	2	1
Havering	SMR	133	100	133	66	33	65	32	192	32	127	93
	OBS	4	3	4	2	1	2	1	6	1	4	3

	Females										
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
ENGLAND AND WALES	85	85	82	79	100	99	94	95	94	100	95
LONDON	602	605	586	573	728	726	692	698	700	746	711
Barking and Havering	83	85	76	71	84	88	97	99	69	117	76
	75	77	68	64	76	79	87	89	62	105	68
Barking and Havering	93	130	37	93	129	108	162	90	18	72	125
	5	7	2	5	7	6	9	5	1	4	7
Barking & Dagenham	141	189	47	143	96	91	229	46	47	46	47
	3	4	1	3	2	2	5	1	1	1	1
Havering	62	92	31	61	150	119	119	118	0	88	174
	2	3	1	2	5	4	4	4	0	3	6

	Persons										
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
ENGLAND AND WALES	81	86	85	82	100	98	98	96	96	101	101
	1092	1166	1166	1136	1395	1369	1386	1365	1375	1463	1472
LONDON	88	85	74	74	84	94	107	99	70	110	90
	150	146	127	126	144	162	184	171	122	193	159
Barking and Havering	98	98	68	98	87	114	114	123	28	94	103
	10	10	7	10	9	12	12	13	3	10	11
Barking & Dagenham	100	100	51	152	77	146	172	74	50	74	50
	4	4	2	6	3	6	7	3	2	3	2
Havering	96	96	80	63	94	93	77	154	15	107	135
	6	6	5	4	6	6	5	10	1	7	9