

TRENDS IN MORTALITY FROM STOMACH CANCER (ICD9 151):
INDIRECTLY STANDARDISED RATIOS (SMR), 1989 TO 1999 ANNUALLY, ALL AGES
(Standard rates are age-specific mortality rates in 1993)

		Males										
		1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
ENGLAND AND WALES	SMR	124	117	114	110	100	100	92	90	85	81	78
	OBS	5455	5220	5110	4984	4568	4613	4275	4251	4058	3939	3814
LONDON	SMR	117	110	116	104	102	92	92	88	84	75	68
	OBS	633	596	626	559	546	493	494	475	459	409	373
Barking and Havering	SMR	136	144	188	137	139	111	118	81	103	103	113
	OBS	45	48	63	46	47	38	41	28	36	36	40
Barking & Dagenham	SMR	128	180	225	174	122	96	141	97	136	98	122
	OBS	17	24	30	23	16	13	19	13	18	13	16
Havering	SMR	141	120	164	113	149	120	104	70	83	105	107
	OBS	28	24	33	23	31	25	22	15	18	23	24

	Females									
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
ENGLAND AND WALES	125	120	113	111	100	99	93	84	85	83
	3593	3478	3298	3282	2964	2935	2776	2521	2564	2496
LONDON	121	125	115	106	96	92	87	79	87	81
	440	452	415	381	344	329	311	278	304	282
Barking and Havering	100	146	117	154	93	108	129	98	89	62
	21	31	25	33	20	24	29	22	20	14
Barking & Dagenham	114	181	125	171	127	77	131	99	110	44
	10	16	11	15	11	7	12	9	10	4
Havering	90	121	111	142	70	130	128	97	74	74
	11	15	14	18	9	17	17	13	10	10

1999	Persons	1990	1991	1992	1993	1994	1995	1996	1997
	1989								
76 ENGLAND AND WALES	125	119	113	111	100	100	92	88	85
2306	9048	8698	8408	8266	7532	7548	7051	6772	6622
79 LONDON	119	116	116	105	99	92	90	84	85
274	1073	1048	1041	940	890	822	805	753	763
57 Barking and Havering	122	145	161	143	121	110	123	87	98
13	66	79	88	79	67	62	70	50	56
56 Barking & Dagenham	122	180	185	173	124	88	137	98	126
5	27	40	41	38	27	20	31	22	28
58 Havering	122	120	144	124	119	124	113	80	80
8	39	39	47	41	40	42	39	28	28

1998

1999

82

77

6435

6120

77

72

691

647

87

91

50

53

76

95

17

21

93

88

33

32